

SEP 23 2004
PCT/US03/04512
JCT/12
PCT/US03/04512
PCT/US03/04512




Fig. 1 130




Fig. 6



HEAD/SILL/JAMB WITH
AESTHETIC COVER CAP

Fig. 2




Fig. 7





Fig. 8






Fig. 4




Fig. 9

Blakely, Sokoloff, Taylor & Zafman LLP

(310) 207-3800

Title: PRIMARY FRAMING SYSTEM AND A METHOD OF INSTALLATION

1st Named Inventor: Murray L. Neal

Application No.: 10/788,716

Docket No.: 2209P010

Sheet: 5 of 12






Fig. 10



REAR SLEEVE ANCHOR PLACEMENT

Fig. 11



FRONT SLEEVE ANCHOR PLACEMENT

Fig. 12






Fig. 13








Fig. 17A




Fig. 17B






Fig. 18



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.
As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.